

# D.S.S Concrete Products

## RUBBER MOULDS FOR PRECAST BOUNDARY WALL



DSS Infracon, Khasra No - 516, Garhi,  
Sahadra, Sector-143, Noida, Uttar Pradesh,  
India.



[www.dssinfracon.com](http://www.dssinfracon.com)  
[dssinfracons@gmail.com](mailto:dssinfracons@gmail.com)



+91 9953620919



+91 85272 99983



**PP 200**

**HI WALLS**

|      | Length | Height | Thickness |
|------|--------|--------|-----------|
| Feet | 5'     | 3.33'  | 0.16'     |
| mm   | 1500mm | 1000mm | 50mm      |
| inch | 60"    | 39.37" | 1.96"     |

Approximate Mould Weight: 36.00 Kg






















**PP 204**

**URBAN FENCE**

|      | Length | Height | Thickness |
|------|--------|--------|-----------|
| Feet | 8'     | 4'     | 0.16'     |
| mm   | 2440mm | 1220mm | 50mm      |
| inch | 96"    | 48"    | 1.96"     |

Approximate Mould Weight: 92.00 Kg

















Length: 1829mm / 6ft



Height: 300mm

**WP 801 6FT**

**Royal Flora**

Length: 6 Ft / 1.83 M  
Height: 1 Ft / 0.30 M  
Thickness: 50mm  
App. Mould Weight: 17.50 Kg

Length: 2134mm / 7ft



Height: 300mm

**WP 801 7FT**

**Royal Flora**

Length: 7 Ft / 2.13 M  
Height: 1 Ft / 0.30 M  
Thickness: 50mm  
App. Mould Weight: 20.00 Kg









Length: 1830mm / 6ft



Height: 300mm

**WP 802 6FT**

**Urban Brick**

Length: 6 Ft/1.83 M  
Height: 1 Ft / 0.30 M  
Thickness: 50mm  
App. Mould Weight: 17.50 Kg

Length: 2134mm / 7ft



Height: 300mm

**WP 802 7FT**


**Urban Brick**

Length: 7 Ft/2.13 M  
Height: 1 Ft / 0.30 M  
Thickness: 50mm  
App. Mould Weight: 20.00 Kg










**WP 808 6FT**

**URBAN GRID**


Length: 6 Ft/1.83 M  
Height: 1 Ft/ 0.30 M  
Thickness: 50mm  
App. Mould Weight: 17.50 Kg



**WP 809 6FT**

**WAVEPANEL**

Length: 6 Ft/1.83 M  
Height: 1 Ft/ 0.30 M  
Thickness: 50mm  
App. Mould Weight: 17.50 Kg



**WP 810**

**BASKET WEAVE**

Length: 6 Ft/1.83 M  
Height: 1 Ft/ 0.30 M  
Thickness: 50mm  
App. Mould Weight: 17.50 Kg















**DS 100**

**CLASSIC**

|      | Length | Height |
|------|--------|--------|
| Feet | 7'     | 4'     |
| mm   | 2130mm | 1220mm |
| inch | 84"    | 48"    |


Approximate Mould Weight: 39.00 Kg

**Boundary wall panels of any desired thickness can be casted by using metal or suitable frames of desired thickness.**










**DS 101**

**TIDEWAVE**

|      | Length | Height |
|------|--------|--------|
| Feet | 8'     | 4'     |
| mm   | 2440mm | 1220mm |
| inch | 96"    | 48"    |

Approximate Mould Weight: 56.00 Kg




**Boundary wall panels of any desired thickness can be casted by using metal or suitable frames of desired thickness.**










**DS 102**

**BRICK**

|      | Length | Height |
|------|--------|--------|
| Feet | 8'     | 4'     |
| mm   | 2440mm | 1220mm |
| inch | 96"    | 48"    |

Approximate Mould Weight: 55.00 Kg



**Boundary wall panels of any desired thickness can be casted by using metal or suitable frames of desired thickness.**


















**DS 107** **VERTICAL STRIPES**

|      | Length | Height |
|------|--------|--------|
| Feet | 9'     | 4.9'   |
| mm   | 2740mm | 1490mm |
| inch | 108"   | 58.8"  |

Approximate Mould Weight: 110 Kg

**Boundary wall panels of any desired thickness can be casted by using metal or suitable frames of desired thickness.**





**RUBBER MOULD FOR VERTICAL STRIPES**















**SPP 300**

**HI WINDOWS 1**

|      | Length | Width | Thickness |
|------|--------|-------|-----------|
| Feet | 9'     | 1'    | 0.16'     |
| mm   | 2740mm | 300mm | 50mm      |
| inch | 108"   | 12"   | 1.96"     |

Approximate Mould  
Weight: 23.00 Kg

**Windows of any desired length can be casted by using stoppers**




**SPP 301**

**HI WINDOWS 2**

|      | Length | Width | Thickness |
|------|--------|-------|-----------|
| Feet | 9'     | 1'    | 0.16'     |
| mm   | 2740mm | 300mm | 50mm      |
| inch | 108"   | 12"   | 1.96"     |

Approximate Mould  
Weight: 22.00 Kg






**HI WINDOW 1 COMBINATION CASTING, SIZES CAN BE CUSTOMIZED**














**C 400**

**COPING**

|      | Length | Height | Thickness |
|------|--------|--------|-----------|
| Feet | 9'     | 0.5'   | 0.16'     |
| mm   | 2740mm | 150mm  | 50mm      |
| inch | 108"   | 6"     | 1.96"     |

Approximate Mould  
Weight: 20.00 Kg

**Copings of any desired length can be casted by using stoppers**



**C 401**

**COPING**

|      | Length | Height | Thickness |
|------|--------|--------|-----------|
| Feet | 9'     | 0.83'  | 0.16'     |
| mm   | 2740mm | 250mm  | 50mm      |
| inch | 108"   | 10"    | 1.96"     |

Approximate Mould  
Weight: 24.00 Kg












### Mounting plates for compound wall production



**DS- MOUNTING PLATE -1**


Mounting base pallet made with Regenerated Plastic sheets with detachable metal frames. Suitable for 8ft\*4ft and 7ft\*4ft panels and panel for mounting plate 10ft\*6ft.



**SPP - MOUNTING PLATE - 2**

Mounting base pallets made with Regenerated Plastic sheets with detachable metal frames. Suitable upto 9ft \* 1 ft panels \* 2 nos





Precast single with Double sided groove



Metal Frame

## SINGLE POLE 1

|      | Length | Width | Groove Size |
|------|--------|-------|-------------|
| Feet | 8'     | 0.5'  | 0.19'       |
| m    | 2.44m  | 0.15m | 0.58m       |
| cm   | 244cm  | 15cm  | 5.8cm       |
| mm   | 2440mm | 150mm | 58mm        |
| inch | 96"    | 6"    | 2.28"       |

Frame Approximate Weight: 14.000 Kg  
Approximate Mould Weight: 18.000 Kg







# Rubber Moulds for Pillar Bricks




**P0**

**PILLAR STONE**

|      | Size        | Thickness | Groove Size |
|------|-------------|-----------|-------------|
| inch | 10" x 10"   | 2.36"     | 1.96"       |
| cm   | 25 x 25 cm  | 6cm       | 5cm         |
| mm   | 250 x 250mm | 60mm      | 50mm        |

Approximate Mould  
Weight: 3.00 Kg




**P1**

**PILLAR STONE**

|      | Size        | Thickness | Groove Size |
|------|-------------|-----------|-------------|
| inch | 10" x 10"   | 2.36"     | 1.96"       |
| cm   | 25 x 25 cm  | 6cm       | 5cm         |
| mm   | 250 x 250mm | 60mm      | 50mm        |

Approximate Mould  
Weight: 2.70 Kg




**P2**

**PILLAR STONE**

|      | Size        | Thickness | Groove Size |
|------|-------------|-----------|-------------|
| inch | 10" x 10"   | 2.36"     | 1.96"       |
| cm   | 25 x 25 cm  | 6cm       | 5cm         |
| mm   | 250 x 250mm | 60mm      | 50mm        |

Approximate Mould  
Weight: 2.85 Kg



**P3**

**PILLAR STONE**

|      | Size        | Thickness | Groove Size |
|------|-------------|-----------|-------------|
| inch | 10" x 10"   | 2.36"     | 1.96"       |
| cm   | 25 x 25 cm  | 6cm       | 5cm         |
| mm   | 250 x 250mm | 60mm      | 50mm        |

Approximate Mould  
Weight: 2.90 Kg



**P11**

**PILLAR STONE**

|      | Size        | Thickness | Groove Size |
|------|-------------|-----------|-------------|
| inch | 8" x 8"     | 2.36"     | 1.96"       |
| cm   | 20 x 20cm   | 6cm       | 5cm         |
| mm   | 200 x 200mm | 60mm      | 50mm        |

Approximate Mould  
Weight: 2.40 Kg




**P12**

**PILLAR STONE**

|      | Size        | Thickness | Groove Size |
|------|-------------|-----------|-------------|
| inch | 8" x 8"     | 2.36"     | 1.96"       |
| cm   | 20 x 20cm   | 6cm       | 5cm         |
| mm   | 200 x 200mm | 60mm      | 50mm        |

Approximate Mould  
Weight: 2.30 Kg




**D500**

**PILLAR CAP**

|      | Size        | Thickness |
|------|-------------|-----------|
| inch | 10" x 10"   | 6"        |
| cm   | 25 x 25cm   | 15.2cm    |
| mm   | 250 x 250mm | 152mm     |

Approximate Mould  
Weight: 6.00 Kg







**D501 PILLAR CAP**

|      | Size        | Thickness |
|------|-------------|-----------|
| inch | 16" x 16"   | 5"        |
| cm   | 40 x 40cm   | 12.5cm    |
| mm   | 400 x 400mm | 125mm     |

Approximate Mould  
Weight: 11.00 Kg




**D502**

**PILLAR CAP/ NECK / BASE BRICK**

|      | Size        | Thickness |
|------|-------------|-----------|
| inch | 10" x 10"   | 2.36"     |
| cm   | 25 x 25cm   | 6cm       |
| mm   | 250 x 250mm | 60mm      |

Approximate Mould  
Weight: 2.60 Kg




**N1**

**PILLAR NECK PLAIN**

|      | Size        | Thickness |
|------|-------------|-----------|
| inch | 7.5" x 7.5" | 1.57"     |
| cm   | 19 x 19cm   | 4cm       |
| mm   | 190 x 190mm | 40mm      |

Approximate Mould  
Weight: 1.25 Kg



**N2**

**PILLAR NECK WAVE**


|      | Size        | Thickness |
|------|-------------|-----------|
| inch | 7.5" x 7.5" | 1.57"     |
| cm   | 19 x 19cm   | 4cm       |
| mm   | 190 x 190mm | 40mm      |

Approximate Mould  
Weight: 1.30 Kg





## How to build Compound Wall







DSS Infracon, Khasra No - 516, Garhi,  
Sahadra, Sector-143, Noida, Uttar Pradesh,  
India.

[www.dssinfracon.com](http://www.dssinfracon.com)  
[dssinfracons@gmail.com](mailto:dssinfracons@gmail.com)



+91 9953620919



+91 85272 99983